



JIADA HARDWARE

Show Room: 18B, NO.2 BUILDING, LANE 600,
TIANSHAN ROAD, SHANGHAI, CHINA

Tel: +86-21-62330069


Fax: +86-21-62086201

Email: jiada2@yahoo.cn

www.fortunehd.com



FORTUNE
www.fortunehd.com



JIADA HARDWARE

JIADA HARDWARE



JIADA HARDWARE

www.fortunehd.com

GOOD QUALITY
TIME DELIVERY
COMPETITIVE PRICE
BEST SERVICE

JIADA HARDWARE

Show Room: 18B, NO.2 BUILDING, LANE 600,
TIANSHAN ROAD, SHANGHAI, CHINA

Tel: +86-21-62330069

Fax: +86-21-62086201

Email: jiada2@yahoo.cn

www.fortunehd.com

CONTENT

- 1-10  FURNITURE SCREW AND CONNECTING FITTINGS
- 11-14  BRACKET AND TIMBER CONNECTING SERIES
- 15-25  SLIDE SERIES
- 26-29  SOFA AND TABEL LESG SERIES
- 30-34  TUBE CONNECT AND WARDROBE ACCESSORIES
- 35-40  DRAWER LOCK SERIES
- 41-48  HINGE SERIES
- 49-50  GAS SPRING AND BUFFER SERIES
- 51-52  CASTOR SERIES
- 53-59  PVC AND PLASTIC PARTS SERIES
- 60-64  KITCHEN ACCESSORIES AND DUST BIN SERIES
- 65-70  HANDLE LOCK SERIES
- 71-72  FAUCET AND SINK
- 73-88  ALUMINIUM PROFILE SERIES
- 89-90  FLOOR SERIES

jiada




JIADA HARDWARE

www.fortunehd.com



JIADA HARDWARE

CONFIRMAT SCREW



JD-02-001


CONFIRMAT SCREW

HEAD: HEX/POZI/PHILLIP/SQUARE

DEEP HOLE, W/O DEEP HOLE; FLAT/SHARP POINT

SIZE: 5x40, 5x50, 6.3x50, 7x50, 7x60, 7x70 (MM)

FINISH: WHITE/YELLOW ZINC PLATED, BLACK OXIDE



	5x40	5x50	6.3x50	7x50	7x60	7x70
L mm	30.80-40.00	48.50-50.00	48.50-50.00	48.50-60.00	58.50-60.00	68.50-70.00
P mm	2.40	2.40	2.6	3.00	3.00	3.00
A mm	7.00-7.50	7.00-7.50	9.30-9.70	9.50-10.50	9.50-10.50	9.50-10.50
M mm	3.02-3.10	3.02-3.10	4.02-4.12	4.02-4.12	4.02-4.12	4.02-4.12
E mm	3.44	3.44	4.58	4.58	4.58	4.58
Q mm	2.05-2.30	2.05-2.30	2.72-3.05	2.72-3.05	2.72-3.05	2.72-3.05
T mm	5.00	5.00	7.00-7.50	7.00-7.50	7.00-7.50	7.00-7.50
D mm	2.50	2.50	3.00	3.00	3.00	3.00
H mm	6.00	6.00	9.50-10.50	10.00	12.00	14.00
D1 mm	4.92-5.00	4.92-5.00	6.10-6.40	6.85-7.00	6.85-7.00	6.85-7.00
D mm	4.72-5.05	4.72-5.05	6.10-6.45	6.72-7.05	6.72-7.05	6.72-7.05
02 mm	3.10	3.10	3.40-3.60	3.90-4.00	3.90-4.00	3.90-4.00
03 mm	3.10	3.10	3.40-3.60	3.90-4.00	3.90-4.00	3.90-4.00



JD-03-001

CONNECTING SCREW
HEAD: HEX BIG FLAT HEAD
DIA: 13.5MM THICKNESS: 2.5MM
THREAD DIA: 5.8MM, LENGTH: 15-110MM
FLAT/SHARP POINT
FINISH: WHITE/YELLOW ZINC PLATED



JD-03-002

HANDLE SCREW
SIZE: ACCORDING TO CUSTOMER'S REQUIREMENT
FINISH: WHITE/YELLOW ZINC PLATED



JD-03-003

EURO SCREW
HEAD: PAN, FLAT OR DOUBLE FLAT
DIAMETER: M4-M6.6
LENGTH: WOOD THREAD
FINISH: ZINC/NICKEL PLATED



JD-03-004

TRUSS WASHER HEAD HANDLE SCREW
THREAD: M4, LENGTH: 9-60MM
FINISH: ZINC/NICKEL PLATED



JD-03-005

DRYWALL SCREW
HEAD: BUGLE HEAD
SIZE: DIAMETER#6-#8; LENGTH 13-100MM
THREAD: FINE/COARSE
FINISH: BLACK/GREY PHOSPHATE, ZINC PLATED



JD-03-006

CHIPBOARD SCREW
HEAD: COUNTERSUNK (SINGLE/PAIR)/HEXAGON/
SIX LOBE HEAD/PAN HEAD
DIAMETER: 3-13MM LENGTH: 6-120MM
FINISH: ZINC/NICKEL PLATED



JD-03-007

DOUBLE HEAD SCREW
SIZE: ACCORDING TO CUSTOMER'S REQUIREMENT
FINISH: WHITE/YELLOW ZINC PLATED



JD-03-008

SQUARE HOOK
SIZE: ACCORDING TO CUSTOMER'S REQUIREMENT
FINISH: WHITE/YELLOW ZINC PLATED



JD-04-001

DIN 7981
PAN HEAD SELF TAPPING SCREW
DIAMETER: M2.2-M6.3 2"-14"



JD-04-002

DIN 7985
PAN HEAD MACHINE SCREW




JD-04-003

DIN 7973
OVAL HEAD WITH SLOT SELF TAPPING SCREW
DIAMETER: M2.2-M6.3 2"-14"



JD-04-004

DIN 7982
FLAT HEAD SELF TAPPING SCREW
DIAMETER: M2.2-M6.3 2"-14"



JD-04-005

HEXAGONAL WASHER HEAD SELF-
DRILLING SCREW WITH STEEL &
RUBBER WASHER



JD-04-006

DIN 931/933
SIZE: M6x20MM-M36x200MM
CLASS: 4.8, 6.8, 8.8, 10.9, 12.9
FINISH: PLAIN, ZINC PLATED, H.D.G
MATERIAL: MILD STEEL, SS



JD-04-007

HEX NUT
CLASS: 4.6, 6.8, 8.0, 10.0
SIZE: M2-M36 1/8"-2
FINISH: PLAIN, ZINC, H.D.G
MATERIAL: MILD STEEL, SS



JD-04-008

DIN 975/976
DIAMETER: M3-M52
LENGTH: 1000MM-2000MM-3000MM
CLASS: 4.6, 4.8, 8.8
FINISH: PLAIN/BLAK/H.D.G/ZINC PLATED/YELLOW
ZINC PLATED/ZINC PLATED CR3/CR6
MATERIAL: MILD STEEL, SS
CAPABILITY: 50 CONTAINERS PER MONTH





JD-05-001

Z / L KEY
SIZE: M3-M8
LENGTH: ACCORDING TO CUSTOMER'S REQUIREMENT
FINISH: WHITE/YELLOW ZINC PLATED




JD-05-002

FLAT HEX HEAD FURNITURE NUT
SIZE: ACCORDING TO EQUIREMENT
FINISH: ZINC/NICKEL PLATED




JD-05-003

CONNECTING BOLT
SIZE: M4X27, M4X30, M6X29, M6X30
MATERIAL: STEEL
FINISH: NICKEL PLATED




JD-05-004

BUTTERFLY NUT
SIZE: M4-M6
FINISH: WHITE/YELLOW ZINC PLATED



JD-05-005


TEE NUT
SIZE: M4-M10
FINISH: WHITE/YELLOW ZINC PLATED



	M5	M6	M8	M10
D	17	19	22	25
d1	8.1	9.5	11.2	13.2
L1	8	9	11	13
L2	6.5	7	7.5	8.5
4	1.2	1.3	1.4	1.5


JD-05-006

BARREL NUT
SIZE: ACCORDING TO CUSTOMER'S REQUIREMENT
FINISH: WHITE/YELLOW ZINC PLATED




JD-05-007

CONNECTING BOLT
LENGTH: 65-150MM
MATERIAL: STEEL
FINISH: ZINC PLATED




JD-05-008

CONNECTING BOLT
LENGTH: 65-150MM
MATERIAL: STEEL
FINISH: ZINC PLATED



CONNECTING FITTINGS



JD-07-001

SHELF SUPPORT
SIZE:M3x16,M5x16, M6x18, M8x20
FINISH:ZINC/NICKEL PLATED



JD-07-002

SHELF SUPPORT
SIZE: SEE DRAWING
FINISH:ZINC/NICKEL PLATED




JD-07-003

SHELF SUPPORT
SIZE: SEE DRAWING
FINISH:ZINC/NICKEL PLATED



JD-07-004

SHELF SUPPORT
SIZE:M5x17
PLASTIC PART COLOR: CLEAR/BROWN/WHITE/BLACK
FINISH:ZINC/NICKEL PLATED




JD-07-T04

SHELF SUPPORT
SIZE: SEE DRAWING
FINISH:ZINC/NICKEL PLATED




JD-07-T05



JD-07-7023

MAGNETIC CATCH
Color: White, brown, black




JD-08-8501

Φ	C	L	W	H
12 mm	38 mm	16 mm	17 mm	



JD-08-8189

Φ	C	L	W	H
43 mm	27 mm	42 mm		
53 mm	30 mm	55 mm		
65 mm	35 mm	75 mm		
95 mm	42 mm	105 mm		



JD-08-8598

Φ	C	L	W	H
64.5 mm	21.5 mm	131 mm		




JD-08-8607

Φ	C	L	W	H
30.5 mm	30.5 mm	46.5 mm		



JD-08-8606

Φ	C	L	W	H
40 mm	40 mm	55 mm		



JD-08-8603

Φ	C	L	W	H
51 mm	25 mm	34 mm		




JD-08-8605

Φ	C	L	W	H
65.5 mm	24 mm	83 mm		



JD-08-8621

Φ	C	L	W	H
16 mm	40 mm	18 mm		




JD-08-8626

Φ	C	L	W	H
17 mm	41 mm	24.5 mm	24.5 mm	





JD-08-003


MATERIAL: ZINC ALLOY, STAINLESS STEEL,
FINISH: CHROME, GOLD, BRUSH NICKEL, ...





JD-09-001


 A:24/34
 S:20/30
 L:34/44

JD-09-002


 A:24/34
 S:20/30
 L:34/44

JD-09-003


 A:24/34
 S:20/30
 L:32/41

JD-09-004


 A:24/34
 S:20/30
 L:34/44

JD-09-005


 A:24/34
 S:20/30
 L:34/44

JD-09-006


 PLASTIC DOWEL
 SIZE: SEE DRAWING
 COLOR: WHITE/BROWN/BLACK

JD-09-007

 EXPANDING NUT
 SIZE: SEE DRAWING
 FINISH: NICKEL PLATED

JD-10-001

 PRE-INSERT NUT
 SIZE: SEE DRAWING
 MATERIAL: ZINC ALLOY
 FINISH: WHITE/YELLOW ZINC PLATED
 M=4, 5, 6, 8, 10
 L=8, 10, 12, 13, 15, 18, 20, 25, 30

JD-10-002

 PRE-INSERT NUT
 SIZE: SEE DRAWING
 MATERIAL: ZINC ALLOY
 FINISH: WHITE/YELLOW ZINC PLATED
 M=6, 8, 10
 L=10, 13, 15, 18, 20

JD-10-003

 PRE-INSERT NUT
 SIZE: SEE DRAWING
 MATERIAL: ZINC ALLOY
 FINISH: WHITE/YELLOW ZINC PLATED
 M=6, 8, 10
 L=10, 13, 15, 18, 20

JD-10-004


 PRE-INSERT NUT
 SIZE: SEE DRAWING
 MATERIAL: ZINC ALLOY
 FINISH: WHITE/YELLOW ZINC PLATED
 M=4, 5, 6, 8, 10
 L=8, 10, 12, 13, 15, 18, 20, 25, 30

JD-10-005

 WOOD DOWEL
 SIZE: M6x30 M6x40
 M8x30 M8x40
 M10x40 M10x50
 THREAD: STRAIGHT/DIAGONAL

JD-10-PJ1513

 FOR WOOD THICKNESS FROM: 17MM
 DRILLING DEPTH: 13.5MM
 DISTANCE A CENTRE LOCKING POS: 8.5MM
 PLATING: BLUE-ZINC/COLOUR-ZINC/BLACK-ZINC/NICKEL

JD-10-PJ1512-2

 FOR WOOD THICKNESS FROM: 15MM
 DRILLING DEPTH: 12.5MM
 DISTANCE A CENTRE LOCKING POS: 7.5MM
 PLATING: BLUE-ZINC/COLOUR-ZINC/BLACK-ZINC/NICKEL

JD-10-PJ1513-2

 FOR WOOD THICKNESS FROM: 16MM
 DRILLING DEPTH: 13MM
 DISTANCE A CENTRE LOCKING POS: 8MM
 PLATING: BLUE-ZINC/COLOUR-ZINC/BLACK-ZINC/NICKEL




JIADA HARDWARE

www.fortunehd.com




BRACKET & TIMBER CONNECTING SERIES



JD-12-001

TRIANGLE BRACKET
COLOR: WHITE/BROWN/GRAY/BLACK



Size(mm)	Thickness(mm)	Dimension(mm)				Bearing Capacity(kg)
		A	B	C	D	
75x100	0.8	100	75	29	10	12
100x125	0.8	125	100	34	11	15
125x150	0.8	150	125	35	12	15
150x200	0.8	200	150	36	13	18
200x250	1.0	250	200	41	14	20
250x300	1.0	300	250	43	18	25
300x350	1.0	350	300	46	20	30
350x400	1.0	400	350	49	25	40
400x450	1.0	450	400	53	29	40

JD-12-C05

MATERIAL: STEEL
FINISH: ZINC PLATED
SIZE: 100x100x15MM
80x80x15MM
60x60x15MM
40x40x15MM
25x25x13MM



JD-12-C04

MATERIAL: STEEL
FINISH: ZINC PLATED
SIZE: 20x20x47MM 30x30x47MM
38x38x47MM 25x25x30MM 30x30x23MM






JIADA HARDWARE

www.fortunehd.com




JIADA HARDWARE

www.fortunehd.com





JD-17-001

FGV TYPE SLIDE
MATERIAL: STEEL
SIZE: 250-600MM(10"-24")
THICKNESS: 0.8-1.2 BEFORE / AFTER PAINTING
CARRYING CAPABILITY: 25KG
ROLLER: ABS/POM
FINISH: WHITE RAL9010/BROWN RAL8017/ BLACK RAL 9005, ETC.




JD-17-002

BLUM TYPE SLIDE
MATERIAL: STEEL
SIZE: 250-600MM(10"-24")
THICKNESS: 0.8-1.2 BEFORE / AFTER PAINTING
CARRYING CAPABILITY: 25KG
ROLLER: ABS/POM
FINISH: WHITE RAL9010/BROWN RAL8017/ BLACK RAL 9005, ETC.




JD-17-003

SIDE MOUNTING SLIDE
MATERIAL: STEEL
SIZE: 250-600MM(10"-24")
THICKNESS: 0.8-1.2 BEFORE / AFTER PAINTING
CARRYING CAPABILITY: 25KG
ROLLER: ABS/POM
FINISH: WHITE RAL9010/BROWN RAL8017/ BLACK RAL 9005, ETC.




JD-18-004

SPLINT SLIDE (A TYPE)
MATERIAL: STEEL
SIZE: 250-600MM(10"-24")
THICKNESS: 0.8-1.2 BEFORE / AFTER PAINTING
CARRYING CAPABILITY: 25KG
ROLLER: ABS/POM
FINISH: WHITE RAL9010/BROWN RAL8017/ BLACK RAL 9005, ETC.




JD-18-005

CLAMP FIXING B SLIDE
MATERIAL: STEEL
SIZE: 250-600MM(10"-24")
THICKNESS: 0.8-1.2 BEFORE / AFTER PAINTING
CARRYING CAPABILITY: 25KG
ROLLER: ABS/POM
FINISH: WHITE RAL9010/BROWN RAL8017/ BLACK RAL 9005, ETC.



JD-18-006

METAL BOX SLIDE
WIDTH: 54MM 86MM, 118MM, 150MM
LENGTH: 250MM-600MM(10"-24")
ROLLER: ABS/POM
FINISH: WHITE RAL9010/BROWN RAL8017/ BLACK RAL 9005, ETC.



JD-19-1701

MINI BALL BEARING SLIDE

Material: Cold-rolled steel plate


Finish: Blue zinc-plated, color zinc-plated, black-plated, with anti-rust sealer

Recommended applications: Light-duty movable cabinet, desk drawer, ordinary furniture, or any applications requiring 12kg load or less and requiring 3/4 extension.

Product features: Two way travel. Inseparable.


Installation method: Side mounting. 9.8±0.2mm

SIZE	A	B	C
17mm	182	77	105
17mm	214	77	137
17mm	246	77	169
17mm	278	95	183
17mm	310	95	215
17mm	342	120	222
17mm	374	120	254
17mm	430	120	300



THICKNESS RANGE

NO	R1708	R1709	R1710
①	0.8mm	0.9mm	1.0mm
②	0.8mm	0.9mm	1.0mm



JD-19-2701

27mm 2-FOLD BALL BEARING SLIDE

Material: Cold-rolled steel plate


Finish: Blue zinc-plated, color zinc-plated, black-plated, with anti-rust sealer

Recommended applications: Mid-duty movable cabinet, desk drawer, ordinary furniture, or any applications requiring 25kg load or less and requiring full extension.

Product features: Fine adjustment of gap is possible when installing; quick separation mechanism; vibration prevention ball strip for absorbing impulsive force, and mechanism to prevent drawer from spring out


Installation method: Side mounting. 9.8±0.2mm

SIZE	A	B	C	D	E	F	G
10"	250	247	400	160	128	64	
12"	300	297	500	192	156		
14"	350	347	587	128	128	128	160
16"	400	397	663	160	160	160	192
18"	450	447	737	160	192	192	224
20"	500	497	813	224	192	192	224



THICKNESS RANGE

NO	R2710
①	1.2mm
②	1.0mm



JD-19-2703

27MM ADJUSTABLE KEYBOARD

STEEL BALLS SLIPPERY COURSE

Recommend applications: light-loaded small cabinet, computer keyboard and any drawers without side walls, or any applications requiring 20kg load requiring 3/4 extension.



Product features: spring-back positioning device, inseparable.

By installing fixing pieces, 4 different heights can be selected from 59 to 92mm.

Installation method: top installation.

Finishing: blue zinc-plated, color zinc-plated, black.

Material: cold-roll with the stainless.



Thickness Range

NO	材料厚度
①	0.8mm 1.0mm
②	0.8mm 1.0mm
③	1.0mm
④	1.2mm

SIZE	A	B		
250	250	500	110	3
300	300	600	150	4
350	350	700	175	5
400	400	800	200	6
450	450	900	225	7
500	500	1000	250	8

JD-20-3298

32MM, 3-FOLD, BALL BEARING SLIDE

Recommended application: mid-duty movable cabinet, desk drawer, ordinary furniture any applications requiring 20kg load or less and requiring full extension.

Products features: fine adjustment of gap is possible when installing. Quick separation mechanism, vibration prevention ball strip for absorbing impulsive force, and mechanism to prevent drawer from springing out.

Finishing: blue zinc-plated, color zinc-plated, black zinc-plated.


Installation method: side installation. 11.8±0.2mm

Material: cold-rolled steel plate

SIZE	A	B	C	D	E	L
3298-283	285	68.5	22	135	258	300
3298-333	335	73.5	36	160	291	343
3298-383	385	73.5	36	185	314	393
3298-433	435	73.5	36	210	391	443
3298-483	485	73.5	36	235	414	503

Thickness Range

NO	MATERIAL THICKNESS
①	0.7mm 0.8mm
②	0.7mm 0.8mm
③	0.7mm 0.8mm



JD-20-3501

35MM, 3-FOLD, BALL BEARING SLIDE


Material: Cold-rolled steel plate/Stainless steel

Finish: Blue zinc-plated, color zinc-plated, black-plated, with anti-rust sealer

Recommended applications: Mid-duty movable cabinet, desk drawer, ordinary furniture, or any applications requiring 30kg load or less and requiring full extension.

Product features: Fine adjustment of gap is possible when installing; quick separation mechanism; vibration prevention ball strip for absorbing impulsive force, and mechanism to prevent drawer from spring out

Installation method: Side mounting. 12.5±0.2mm



SIZE	A	B	C	D	E	F	G	H
10"	250	160						247
12"	300	224						297
14"	350	224			96			347
16"	400	224	288			128		397
18"	450	224	352		96	192		447
20"	500	224	352	416	96			497
22"	550	224	352	448	96	244	288	549
24"	600	224	352	480	96	244	288	597



THICKNESS RANGE

NO	W3509	W3510	W3511
①	0.9mm	1.0mm	1.1mm
②	0.9mm	1.0mm	1.1mm
③	0.9mm	1.0mm	1.1mm

JD-20-3502

35MM ADJUSTABLE KEYBOARD

STEEL BALLS SLIPPERY COURSE

Recommend applications: light-loaded small cabinet, computer keyboard and any drawers without side walls, or any applications requiring 20kg load requiring 3/4 extension.

Product features: spring-back positioning device, inseparable.



By installing fixing pieces, 4 different heights can be selected from 59 to 92mm.

Installation method: top installation.

Finishing: blue zinc-plated, color zinc-plated, black.

Material: cold-roll with the stainless.

SIZE	A	B		
250	250	500	110	3
300	300	600	150	4
350	350	700	175	5
400	400	800	200	6
450	450	900	225	7
500	500	1000	250	8



Thickness Range

NO	材料厚度
①	0.8mm 1.0mm
②	0.8mm 1.0mm
③	1.0mm
④	1.2mm

JD-23-GT230-01

Features: Self-lock closing device is designed to avoid the sudden and random open of the drawer.
Size: 300-600mm (12"-24")
Rating Load: 30kgs/450mm (18")
Topdressing: white zincification, color zincification, black
Pack: 18sets/case (without screw)




JD-23-GT230-03 Internal installed

Features: Slide rail is subject to instantaneous impulsive force. After dual-buffer, it will gently be closed. Self-lock closing device is designed to avoid the sudden and random open of the drawer.
Size: 300-600mm (12"-24")
Rating Load: 30kgs/450mm (18")
Topdressing: white zincification, color zincification, black
Pack: 18sets/case (without screw)




JD-24-GT230-09 Auto pop-up

Features: Press the drawer once, then it will automatically come out, push the drawer inwards and press it once, then it will be easily locked in, it is not necessary to install any drawer pull.
Size: 300-600mm (12"-24")
Rating Load: 30kgs/450mm (18")
Topdressing: white zincification, color zincification, black
Pack: 18sets/case (without screw)



JD-24-GT330-03 Internal installed

Features: Slide rail is subject to instantaneous impulsive force. After dual-buffer, it will gently be closed. Self-lock closing device is designed to avoid the sudden and random open of the drawer.
Size: 300-600mm (12"-24")
Rating Load: 30kgs/450mm (18")
Topdressing: white zincification, color zincification, black
Pack: 18sets/case (without screw)






JD-25-F218P




MODEL	NOMINAL LENGTH	MIN. INSTALLATION LENGTH	HEIGHT	G.W	SETS/CTN	MEASUREMENT
F218P-270	270mm	290mm	105mm	15.1	6	29.5x34.5x21.5
F218P-300	300mm	320mm	105mm	17.1	6	32.5x34.5x21.5
F218P-350	350mm	370mm	105mm	20.1	6	37.5x34.5x21.5
F218P-400	400mm	420mm	105mm	21.8	6	42.5x34.5x21.5
F218P-450	450mm	470mm	105mm	23.6	6	47.5x34.5x21.5
F218P-500	500mm	520mm	105mm	25.9	6	52.5x34.5x21.5
F218P-550	550mm	570mm	105mm	27.8	6	57.5x34.5x21.5



JD-25-F218G




MODEL	NOMINAL LENGTH	MIN. INSTALLATION LENGTH	HEIGHT	G.W	SETS/CTN	MEASUREMENT
F218G-270	270mm	290mm	185mm	16.5	6	29.5x34.5x21.5
F218G-300	300mm	320mm	185mm	19.3	6	32.5x34.5x21.5
F218G-350	350mm	370mm	185mm	21.6	6	37.5x34.5x21.5
F218G-400	400mm	420mm	185mm	23.0	6	42.5x34.5x21.5
F218G-450	450mm	470mm	185mm	24.85	6	47.5x34.5x21.5
F218G-500	500mm	520mm	185mm	26.15	6	52.5x34.5x21.5
F218G-550	550mm	570mm	185mm	28.9	6	57.5x34.5x21.5



JD-25-F218H



MODEL	NOMINAL LENGTH	MIN. INSTALLATION LENGTH	HEIGHT	G.W	SETS/CTN	MEASUREMENT
F218H-270	270mm	290mm	225mm	15.80	6	29.5x34.5x21.5
F218H-300	300mm	320mm	225mm	18.25	6	32.5x34.5x21.5
F218H-350	350mm	370mm	225mm	20.43	6	37.5x34.5x21.5
F218H-400	400mm	420mm	225mm	22.30	6	42.5x34.5x21.5
F218H-450	450mm	470mm	225mm	23.90	6	47.5x34.5x21.5
F218H-500	500mm	520mm	225mm	26.10	6	52.5x34.5x21.5
F218H-550	550mm	570mm	225mm	28.30	6	57.5x34.5x21.5



METAL LEGS SERIES




JD-27-084



JD-27-045



JD-27-310



JD-27-015




JD-27-016



JD-27-020




JD-27-016(2)




JD-27-016(3)



JD-27-416




JD-27-J2004A




JD-27-J2020B



JD-27-279



JD-27-044



JD-27-043




JD-27-025



JD-27-026



JD-28-891



JD-28-037




JD-28-036



JD-28-233




JD-28-017



JD-28-032



JD-28-14



JD-28-057



JD-28-018



JD-28-069




JD-28-070



JD-28-057B



JD-28-400





JIADA HARDWARE
www.fortunehd.com

☎: +86-21-62330069
✉: jiada2@yahoo.cn

☎: +86-21-62086201

Best Products Leading The Trend

TABLE LEG

DIAMETER: 60MM, 45MM, 40MM
LENGTH: 710MM, 820MM, 870MM, 1100MM
FINISH: CHROME, SATIN CHROME,
BRUSH NICKEL, BLACK, WHITE
SILVER GREY, GOLDEN, SATIN NICKEL,

JD-29-001



JD-29-002



JD-29-003



JD-29-TS60ED1



JD-29-LS76



JD-29-50-7



JD-29-LM60M



JD-29-YK60L



JD-29-BT003



JD-29-LS2



JD-29-LM1



JD-29-YK1



JD-29-YK3



JD-29-DCOA03

1600x800
1550x550x725
1440x400
550x725
410x725




JD-29-DCOA12

1600x800+900x450
1550x700x725
1450x400
700x725
450x725



BEST PRODUCTS LEADING THE TREND



TUBE CONNECT AND WARDROBE ACCESSORIES

JD-31-001

ROUND TUBE
MATERIAL: STEEL
DIAMETER: 9.6MM-60MM
LENGTH: 1M-3M
MATERIAL THICKNESS: 0.6MM-1.5MM
FINISH: CHROME



JD-31-002

OVAL TUBE
MATERIAL: STEEL
DIAMETER: 15x30MM
LENGTH: 1M-3M
MATERIAL THICKNESS: 0.6MM-1.5MM
FINISH: CHROME



JD-31-TH001A

Round tube support
Suit for 16/19/25mm round tube
MATERIAL: STEEL
FINISH: CHROME




JD-31-TH001B

Round tube support
Suit for 50mm round tube
MATERIAL: STEEL
FINISH: CHROME




JD-31-TH002D

Oval tube support suit for 15x30mm tube
MATERIAL: STEEL
FINISH: CHROME/NICKEL




JD-31-TH002A

Oval tube support suit for 15x30mm tube
MATERIAL: STEEL/ALLOY/PLASTIC
FINISH: CHROME/NICKEL



JD-31-TH002E

Oval tube support suit for 15x30mm tube
MATERIAL: ALLOY
FINISH: CHROME/NICKEL




JD-31-TH002F



JD-32-001



JD-32-002



JD-32-003



JD-32-004



JD-32-005



JD-32-006



JD-32-007



JD-32-008



JD-32-009



JD-32-010



JD-32-011



JD-32-012



JD-32-013



JD-32-014



JD-32-015



JD-32-016




JD-33-G04



JD-33-G05



JD-33-G03



WARDROBE LIFT, TWIN ARM
WEIGHT CAPACITY: 12KG
FINISH: STEEL WITH CHROME EPOXY ALUMINIUM
SIZE: TUBE WIDTH WARDROBE
450-600MM 510-660MM
600-830MM 660-880MM
830-1150MM 890-1210MM
HOUSING: PLASTIC BLACK, BEIGE, SILVER
PLASTIC BLACK BEIGE SILVER





JD-33-CJ0501

Trousers rack with ball bearing slide
Finish: plastic: black, beige, grey
Epoxy aluminium



Order No	Finish	Dimensions
CJ0501	Black/Alu	beign/Alu grey/Alu (L)760-780x(w)455x(H)64mm



JD-34-J0101



JD-34-J0102



JD-34-J0103



JD-34-J0103A



JD-34-J0104



JD-34-J0201



JD-34-J0301



JD-34-J0301A



JD-34-J0401



JD-34-J0403A

SIZE: 10"-20"



JD-34-S0102




JD-34-S0201



HOUSING: PLASTIC BLACK, BEIGE, SILVER



DRAWER LOCK SERIES



+86-21-62330069

+86-21-62086201

jiada2@yahoo.cn

JIADA HARDWARE


www.fortunehd.com




Best Products Leading The Trend

JD-36-K138



High-class Lock
Cylinder: D19xL22/D19xL26/D19xL32
Material: Zinc Alloy
Finish: Nickel/Black



A set diagram Installation diagram





JD-36-K138-22





ORDER NO. K138			FINISH
K138-22	K138-26	K138-32	NICKEL
K138-22	K138-26	K138-32	BLACK
K138-22/K138-22/K138-32			AB

JD-36-K138-23




ORDER NO. K138			FINISH
K138-22	K138-26	K138-32	NICKEL
K138-22	K138-26	K138-32	BLACK
K138-22/K138-22/K138-32			AB

JD-36-K138-24




CYLINDER: D19mm*L22MM	FINISH
MATERIAL: TOTAL IRON	NICKEL
	CHROME
	BLACK

JD-37-202-22




CYLINDER: D19mm*L22mm
MATERIAL: ZINC ALLOY

JD-37-138-22




CYLINDER: D19mm*L22mm	FINISH
MATERIAL: TOTAL IRON	NICKEL
	CHROME
	BLACK

JD-37-139-22-1




CYLINDER: D19mm*L22mm	FINISH
MATERIAL: TOTAL IRON	NICKEL
	CHROME

JD-37-139-22-2




CYLINDER: D19mm*L22mm	FINISH
MATERIAL: TOTAL IRON	NICKEL
	CHROME

JD-38-268



ORDER NO.	FINISH	
K103-19	NICKEL	
K103-19	CHROME	
K103-19	BLACK	


JD-38-K109-18




ORDER NO. K138	FINISH	
K109-22 26 32	NICKEL	
K109-22 26 32	CHROME	
K109-22/K109-26/K109-32	BLACK	

JD-38-K318

CYLINDER: D20.5mm*L19mm
MATERIAL: ZINC ALLOY




JD-38-K103-30 90 180




ORDER NO.	FINISH	
K103-30	NICKEL	
K103-30	CHROME	
K103-30	BLACK	

JD-39-269



ORDER NO.	FINISH	SKETCH
K103-19	NICKEL	
K103-19	CHROME	
K103-19	BLACK	
K103-19 (D=19mm)		


JD-39-270



ORDER NO.	FINISH	SKETCH
K103-25	NICKEL	
K103-25	CHROME	
K103-25	BLACK	
K103-25 (D=25mm)		

JD-39-K288-18


CENTRAL LOCK FRMOUNT SYSTEM



ORDER NO.	FINISH	SKETCH
K288	NICKEL	
K288	CHROME	
K288	BLACK	
K288-18 (D=18mm)		


JD-40-ALT6630

Material: zinc alloy





JD-40-ALT6601

Material: zinc alloy




JD-40-AK276-6

Material: copper





JD-40-AK276

Material: copper



JD-40-AL6608

Material: zinc alloy



HINGE SERIES

JD-41-201

201FGV SERIES
SLIDE-ON HINGE SERIES(TWO WAY)
(Open Angle): 110°
(Diameter of hinge cup): 35mm
(Cup hole distance): 45mm 48mm
(Height of hinge cup): 11.3mm
(Type of mounting plate)
(Hinge version): CL
K(Distance from edge of door to the edge of the cup): 3mm-7mm
(Recommended door thickness): 14mm-23mm



Φ35mm
Application examples of Φ35mm Hinge
H=(Height of mounting plate)
D=(Required overlay on the side panel)
K=(Distance between door edge and drilling holes on hinge cup)
A=(Gap between door and side panel)
X=(Gap between mounting plate and side panel)
CA: Spring hinge CL: Unsprung hinge

A 直臂(Full overlay): C=0						
H=15+K-D						
0	18	19	20	21	22	
2	16	17	18	19	20	

B 直臂(Full overlay): C=8						
H=15+K-D						
0	9	10	11	12	13	
2	7	8	9	10	11	

C 大曲(Inset): C=5						
H=15+K-D						
0	0	-1	-2	-3	-4	
2	2	1	0	-1	-2	

Best Products Leading The Trend

+86-21-62330069

+86-21-62086201

jiada2@yahoo.cn


JIADA HARDWARE
www.fortunehd.com



JD-42-161 TWO WAY/SLIDE-ON


Material: Steel with nickel plated
Angle of opening: 95°
Cup diameter: 26mm
Depth: 9.5mm
Hole pitch: 38mm

Board(k) can be drilled in 3-8mm
(common furniture board is 5mm in thickness)



JD-42-N5 TWO WAY/SLIDE-ON

Material: Steel with nickel plated
Angle of opening: 95°
Cup diameter: 35mm
Depth: 11.5mm
Hole Pitch: 45/48mm



JD-43-366 TWO WAY/CLIP-ON

Material: Steel with nickel plated
Angle of opening: 110°
Cup diameter: 35mm
Depth: 8mm/9.5mm/10.5mm/11.5mm
Hole pitch: 45/48/52mm

Board(k) can be drilled in 3-8mm
(common furniture board is 5mm in thickness)



Full Overlay c=0

Full Overlay c=8



Full Overlay c=15



A1 H=0/2/4

A2 H=0/2/4


A3 H=0/2



JD-43-361 TWO WAY/SLIDE-ON

Material: Steel with nickel plated
Angle of opening: 110°
Cup diameter: 35mm
Depth: 8mm/9.5mm/10.5mm/11.5mm
Hole pitch: 45/48/52mm

Board(k) can be drilled in 3-8mm
(common furniture board is 5mm in thickness)



Full Overlay c=0

Full Overlay c=8



Full Overlay c=15



A1 H=0/2/4

A2 H=0/2/4

A3 H=0/2



JD-44-30°


Material: Steel with nickel plated
Angle of opening: 95°
Cup diameter: 35mm
Depth: 11.5mm
Hole pitch: 45/48mm



30°



HYDRAULIC/CLIP ON



R1 H=0



R2 H=0

JD-44-45°


Material: Steel with nickel plated
Angle of opening: 95°
Cup diameter: 35mm
Depth: 11.5mm
Hole pitch: 48mm



45°



HYDRAULIC/CLIP ON



R1 H=0





R2 H=0

JD-47-165 TWO WAY/SLIDE-ON

Material: Steel with nickel plated
Angle of opening: 165°
Cup diameter: 35mm
Depth: 11.5mm
Hole pitch: 48mm


Board(k) can be drilled in 3-8mm
(common furniture board is 5mm in thickness)





JD-47-261

1-Way Concealed Hinge No.216

Material: Steel with nickel plated
Angle of opening: 95°
Cup diameter: 26mm
Drill distance on glass door: 4-8mm
Glass door thickness: 4-8mm



Full Overlay C=0





JD-48-007 STEEL HINGE

DIMENSION (H x W x T)
3.5" x 2" x 2.5MM x 288 Ø 12
3.5" x 2" x 3.0MM x 288 Ø 12



JD-48-011 STEEL HINGE

DIMENSION (H x W x T)
4" x 3" x 2.5MM x 288 Ø 12
4" x 3" x 3.0MM x 288 Ø 12




JD-48-004 STEEL HINGE

DIMENSION (H x W x T)
4" x 3" x 2.5MM x 488 Ø 12
4" x 3" x 3.0MM x 488 Ø 12



JD-48-008 STEEL HINGE

DIMENSION (H x W x T)
3" x 2.5" x 2.5MM x 288 Ø 11
3" x 2.5" x 3.0MM x 288 Ø 11



JD-48-012

H TYPE BED HINGE
SIZE: 110MM



JD-48-013

L TYPE BED HINGE
H: 130MM



JD-48-014

SIZE: L90xW34xH39MM




JD-48-SZ02




JD-49-F2

Aluminium frame gas spring
Applicable for wooden door & alum frame




JD-49-B0441

Gas spring stay
Weight capacity: 60N, 80N, 100N, 120N, 150N




JD-49-B0421

Gas spring stay
Weight capacity: 60N, 80N, 100N, 120N, 150N



JD-49-B0464

Gas spring stay
Weight capacity: 60N, 80N, 100N, 120N, 150N



JD-49-B0301



JD-49-B0201



JD-49-F1




JD-50-101



JD-50-105



JD-50-106



JD-50-102



JD-50-103



JD-50-104



JD-50-A



JD-50-B



JD-50-C




JD-50-D




JD-50-001




Item	Type	Distance	Material	Load capacity	Color
101	Buffer	11mm	ABS	6-7N	Grey, White
102	Buffer	11.5mm	ABS	4-5N	
103	Buffer	12.5mm	ABS	4-5N	
104	Buffer	15mm	ABS	4-5N	



JD-50-105



JD-50-106




JD-50-107



Item	Type	Distance	Material	Load capacity	Color
105	Buffer	50mm	ABS	5N	Grey
106	Buffer	35.5mm	ABS	8N	
107	Buffer	76mm	ABS	20N	
108	Buffer	56mm	ABS	8N	

JD-50-108



JD-50-109A/109B



JD-50-109C/109D




Item	Type	Distance	Material	Load capacity	Color	Note
109A	Magnetic Rebound Buffer	30.5mm	ABS	15N	White, Grey	Please choose one of fittings below: ① Magnetic head and square steel with sticker ② Magnetic head and round steel with screw ③ Soft plastic head
109B	Magnetic Rebound Buffer	20.5mm	ABS	15N		
109C	Magnetic Rebound Buffer	30.5mm	ABS	15N		
109D	Magnetic Rebound Buffer	20.5mm	ABS	15N		

CASTER SERIES



JD-51-501




Item	Type	Size	Material
501A	Plate with brake	Φ50mm (2")	PA(Black)
501B	Plate w/out brake	Φ50mm (2")	PP(Grey/White)
Load capacity		Width	Color
30kg		45.5mm	Black, Grey, White
30kg		45.5mm	

JD-51-502




Item	Type	Size	Material
501A	Plate with brake	Φ50mm (2")	PA(Black)
501B	Plate w/out brake	Φ50mm (2")	PP(Grey/White)
Load capacity		Width	Color
30kg		45.5mm	Black, Grey, White
30kg		45.5mm	

JD-51-805/809




Item	Type	Size	Material
805A	Pressure wheel	Φ50mm (2")	PA
805B	Swivel wheel	Φ50mm (2")	PA
809	Chair castor	Φ50mm (2")	PA
Load capacity		Width	Color
40kg		55mm	Black
40kg		55mm	
50kg		58.5mm	

JD-5-601




Item	Type	Size	Material	Load capacity	Width	Color
601A	U-style with brake	Φ50mm (2")	PA(Black)	30kg	45.5mm	Black, Grey, White
601B	U-style w/out brake	Φ50mm (2")	PP(Grey/White)	30kg	45.5mm	

JD-5-505




Item	Type	Size	Material	Load capacity	Width	Color
505A	Socket with brake	Φ50mm (2")	PA(Black)	30kg/25kg	45.5mm/40mm	Black, Grey, White
505B	Socket w/out brake	Φ50mm (2")	PP(Grey/White)	30kg/25kg	45.5mm/40mm	

JD-52-508




JD-52-405/406



JD-52-P04

SIZE: D=40mm, 50mm
Material: nylon/PP
Brake: w/o brake
Plate: 38x38 or 40x40mm



JD-52-202A




JD-52-P01


Name: pp Caster Pp01
Description: Trem No Caster Size Color
Pp Caster Pp01-25mm 40mm Blackwhite
Pp Caster Pp01-30mm 30mm Blackwhite
Pp Caster Pp01-40mm 30mm Blackwhite



JD-52-P02




JD-52-902



Item	Type	Size	Material
902A	Plate with brake	Φ50mm (2")	PP+PVC
902B	Plate w/out brake	Φ50mm (2")	PP+PVC
Load capacity		Width	Color
30kg		45.5mm	Grey
30kg		45.5mm	

JD-52-901



Item	Type	Size	Material
901A	Plate with brake	Φ50mm (2")	PP+PVC
901B	Plate w/out brake	Φ50mm (2")	PP+PVC
Load capacity		Width	Color
30kg		45.5mm	Grey
30kg		45.5mm	

PVC EDGE BANDING

JD-53-001

FURNITURE EDGE BANDING

PVC ENVIRONMENTAL/ABS/ACRYLIC/PVC PROFILE

THICKNESS RANGE:0.3MM-3MM WIDTH RANGE:9MM-680MM



☎: +86-21-62330069


☎: +86-21-62086201


✉: jiada2@yahoo.cn

JIADA HARDWARE
www.fortunehd.com




Different shape edge banding







JD-55-001




JD-55-002




JD-55-003




JD-55-004




JD-55-005




JD-55-006




JD-55-007




JD-55-008




JD-55-009




JD-55-010




JD-55-011




JD-55-012




JD-55-013




JD-55-014




JD-55-015




JD-55-016




JD-55-017




JD-55-018




JD-55-019




JD-55-020




JD-55-021




JD-55-022



JD-55-023



JD-55-024




JD-56-005





JD-56-R012A



JD-56-R012B



JD-56-R012F



JD-57-008

PLASTIC LEG
SIZE: 48MMx17MM, 48MMx27MM,
49MMx43MM, 55MMx48MM
FINISH: BLACK



JD-57-61001

MATERIAL: STEEL + PLASTIC
COLOR: WHITE/BLACK/BROWN/
TRANSPARENT
SIZE: Φ 14, 15, 16, 18, 20, 22, 25



JD-57-61205

MATERIAL: STEEL + PLASTIC
COLOR: WHITE/BLACK/
BROWN/CLEAR



JD-57-61501

MATERIAL: STEEL + PLASTIC
COLOR: WHITE/BLACK/BROWN/GREY
SIZE: Φ 20, 22, 24, 28




JD-57-61201

MATERIAL: PLASTIC
COLOR: WHITE/BLACK/GREY



JD-57-61202

MATERIAL: PLASTIC
COLOR: WHITE/BLACK/GREY



JD-57-61203

MATERIAL: STEEL + PLASTIC
COLOR: WHITE/BLACK/
BROWN/CLEAR



JD-57-61503

MATERIAL: STEEL + PLASTIC
SIZE: Φ 25xM6
 Φ 30xM6



JD-57-61002

SIZE: Φ 30xM6.8
 Φ 40xM8
 Φ 50xM8, 10
MATERIAL: STEEL + PLASTIC
FINISH: CHROME



JD-57-61004

SIZE: Φ 30xM6.8
 Φ 40xM8, 10
 Φ 50xM8, 10
MATERIAL: STEEL + PLASTIC
FINISH: CHROME



JD-57-61005

SIZE: Φ 50xM8
 Φ 50xM10
 Φ 65xM10
MATERIAL: STEEL + PLASTIC
FINISH: CHROME



JD-57-61007

SIZE: Φ 20xM6
MATERIAL: STEEL + PLASTIC
FINISH: CHROME




JD-58-009

H: 33mm




JD-58-010



JD-58-011



JD-58-012



JD-58-013



JD-58-XJ2513A



JD-58-XJ2620A



JD-58-XJ2624A



JD-58-ZJ3121A

210MMx152MMx320MM



JD-58-ZJ3324A

330MMx240MM



JD-58-ZJ4404A





JD-59-58001

SIZE: M=Φ80/60 B:88/66 H: 20/12
MATERIAL: ZINC ALLOY
FINISH: CHROME/BRUSH NICKEL/POLISH/ANTIQU BRASS




JD-59-58002

SIZE: M=Φ80/60 B:20/12 H: 88/66
MATERIAL: ZINC ALLOY
FINISH: CHROME/BRUSH NICKEL/POLISH/ANTIQU BRASS




JD-59-001




A	80	100	120
B	68	88	108
H	28	28	28
L	Adjustable		

JD-59-002



A	80	100	120
B	68	88	108
H	28	28	28
L	Adjustable		

JD-59-X060A




JD-59-X060Y



JD-59-XH6119A




JD-59-X061




Part No	Diameter	H(mm)
X061	Φ60	18
X080B	Φ80	18

JD-59-R031



Part No	Diameter	H
R031B	Φ60mm	22mm
R031C	Φ80mm	26mm
R031D	Φ81mm	26mm

JD-59-K2212



Part No	Diameter	H
X050	Φ50mm	20mm
R031A	Φ53mm	20mm
X054	Φ54mm	20mm
K2212	Φ60mm	22mm
X053	Φ63mm	22mm
X066-A	Φ66mm	15mm
X066-B	Φ66mm	20mm
X2204	Φ80mm	21mm

KITCHEN

ACCESSORIES



JD-61-PTJ003
Side drawer basket

Dimension	Cabinet width	Inside width of Cabinet
D425xW245xH420mm	300mm	260mm
D435xW245xH430mm	300mm	265mm



JD-61-PTJ0091
Side drawer basket

Dimension	Cabinet width	Inside width of Cabinet
D475xW110xH440mm	110mm	



JD-61-PTJ006
Two-layer revolving basket

Dimension	Cabinet width	Inside width of Cabinet
Φ673xH480-800mm	750mm	700mm
Φ750xH480-620mm	820x20mm	760mm



JD-61-PTJ007
Multi-functional drawer basket

Dimension	Cabinet width	Inside width of Cabinet
D425xW564xH195mm	600mm	564mm
D425xW564xH195mm	700mm	664mm
D425xW564xH195mm	725mm	689mm
D425xW714xH195mm	750mm	714mm
D425xW764xH195mm	800mm	764mm
D425xW864xH195mm	900mm	864mm



JD-61-PTJ023
Small drawer basket

Dimension	Cabinet width	Inside width of Cabinet
D390xW102xH125mm	150mm	100mm
D440xW104xH125mm	150mm	100mm



JD-61-PTJ023B
Small drawer basket

Dimension	Cabinet width	Inside width of Cabinet
D480xW157xH470mm	200mm	160mm



JD-61-CWJ201D
Double corner rack
L341xW315xH440mm



JD-61-CWJ203C
Double rack
L350xW180xH280mm



JD-61-CWJ207L
Copper-colored paper rack
L326xW183xH388mm



JD-62-CWJ211
Doubles-hook
L50xW55xH65mm Φ16
L50xW59xH65mm Φ19
L6xW55xH65mm Φ16
L6xW59xH65mm Φ19



JD-62-CWJ226A
Plate & Knife holder
L575xW270xH275mm



JD-62-PTJ235
Dish holder

Dimension	Cabinet width	Inside width of Cabinet
D280xW364xH124xH66mm	400mm	364mm
D280xW464xH124xH66mm	500mm	464mm
D280xW564xH124xH66mm	600mm	564mm
D280xW664xH124xH66mm	700mm	664mm
D280xW764xH124xH66mm	800mm	764mm
D280xW864xH124xH66mm	900mm	864mm



JD-62-PTJ304
Stainless steel plate & dish holder

Dimension	Cabinet width	Inside width of Cabinet
D280xW364xH66mm	400mm	364mm
D280xW364xH66mm	400mm	410mm
D280xW364xH66mm	500mm	460mm
D280xW364xH66mm	500mm	510mm
D280xW364xH66mm	600mm	560mm
D280xW364xH66mm	600mm	610mm
D280xW364xH66mm	700mm	660mm
D280xW364xH66mm	700mm	710mm
D280xW364xH66mm	800mm	760mm
D280xW364xH66mm	800mm	810mm
D280xW364xH66mm	900mm	860mm
D280xW364xH66mm	900mm	910mm
D280xW364xH66mm	1000mm	960mm



JD-62-HZ006
Wardrobe basket B
Sizes can be according to your requirements
D475xW764xH155mm
D475xW564xH155mm
D475xW664xH155mm
D475xW864xH155mm

JD-62-JB002A



JD-62-JB0210A



JD-62-JB0034



JD-62-CJ4839B/C400
390X480mm H=50



JD-62-CJ8448B/C900
840X480mm H=50




JD-62-CJ6355B
630X550mm H=50





JD-63-001

Description: cabinet wastebin			
Color	Material	size(R×D×H)	Carton capacity
black	stainless steel, plastic	275×335×360, 14 liter	
grey	stainless steel, plastic	275×335×360, 14 liter	



JD-63-002

Description: European wastebin			
Color	Material	size(W×D×H)	
light	stainless steel	225×310×350, 16L (with quadro slides)	
light	stainless steel	225×440×350, 16L (with simple slides)	



JD-63-003

Description: build-in assoeted drawer wastebin			
Color	Material	size(W×D×H)	
black	stainless steel, plastic	260×422×380, 22L, full extension	
grey	stainless steel, plastic	260×422×380, 22L, full extension	



JD-63-004

Description: multifunctional wastebin			
Color	Material	size(W×D×H)	
grey	S.S. steel, plastic	330×495×360, 2x7L	



JD-64-014
DUSTBIN



JD-64-015
REVOLVE STYLE PLASTIC TRASH CAN
SIZE: 5L, 8L, 12L
COLOR: GRAY/WHITE/BLACK
CARCASE WIDTH: 380MM/400MM



JD-64-601



JD-64-601A



JD-64-602M



JD-64-602



JD-64-602A



JD-64-606M





JIADA HARDWARE

www.fortunehd.com





DOOR LOCK
SERIES



JIADA HARDWARE

DOOR LOCK SERIES







6151-R02



6154-R03



6153-R21



430



6103-R03



6080-R03



6099-R03



423



6062B-R03



6056-R03



6040-R03



415



6014-R03



6002-R03



L6276-R03



488



L6232-R02



6183-R03



6173-R03



6172-R02



6167-R03



F916C



F916K



Z916C



Z916K



Z901K



Z901C



T917C



T917



JD-70-S7006-S008



JD-70-S7006-S007



JD-70-S7006-S006



JD-70-S7008-S009



JD-70-S5011-S012



JD-70-S5010-S011



JD-70-S5009-S010



JD-70-Z5062-Z073



JD-70-S5006-S013



JD-70-Z5080-Z022



JD-70-Z5067-Z067



JD-70-Z5063-Z043

JD-70-D04



JD-70-D05



JD-70-D06





JD-71-001



JD-71-002



JD-71-003



JD-71-004



JD-71-005



JD-71-006



JD-71-007



JD-71-008



JD-71-009



JD-71-010



JD-72-858
490*490



JD-72-859
770*500



JD-72-877
500*500



JD-72-927
650*500



JD-72-010
1160*500*200



JD-72-878
800*500



JD-72-915
776*507



JD-72-908B
620*480



JD-72-916
776*507



JD-72-842
975*500



JD-72-873
950*500



JD-72-831
900*470



JD-72-001




JD-72-002



JIADA HARDWARE

www.fortunehd.com







☎: +86-21-62330069

☎: +86-21-62086201

✉: jiada2@yahoo.cn

JIADA HARDWARE

www.fortunehd.com







JD-75-B28



JD-75-K28



JD-75-S28



JD-75-B38




JD-75-S38




JD-75-BU28




JD-75-KU28



JD-75-SU28



JD-75-K38



NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1380		1.2	0.491	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1382		1.2	0.525	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1379		1.2	0.494	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1393		1.2	0.464	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 686		1.2	0.478	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 687		1.15	0.438	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1381		1.2	0.452	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1383		1.2	0.552	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1384		1.2	0.698	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1387		1.2	0.683	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1382		1.2	0.583	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 283		1.0	0.445	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-Z 004		1.1	0.415	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-Z 492		1.1	0.464	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 913		1.0	0.446	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 2112		1.0	0.38	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 534		1.0	0.520	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 781		1.2	0.631	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-Z 738		1.1	0.397	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 1991		1.0	0.375	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 914		1.2	0.665	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 2112		1.0	0.400	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 678A		1.2	0.603	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 943		1.2	0.676	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 010P		1.1	0.594	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 122		1.0	0.529	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 1074		1.2	0.684	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 735		1.2	0.675	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 688		1.3	0.695	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 815		1.4	0.837	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 006		1.2	0.370	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 853		1.0	0.253	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 1077		1.2	0.293	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 739		1.2	0.308	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 690		1.3	0.331	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 816		1.3	0.322	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 814		14	0.323	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 691		1.3	0.268	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 737		1.2	0.242	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1376		1.2	0.248	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 1072		1.2	0.308	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 068		1.0	0.189	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 812		1.5	0.587	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 689		1.3	0.502	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 738		1.2	0.473	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 1374		1.2	0.505	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 1075		1.2	0.308	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 123		1.0	0.365	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 967A		1.0	0.387	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1486		1.2	0.478	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1203		1.1	0.397	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1204		1.1	0.400	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-Z 681		1.2	0.418	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-Z 680		1.1	0.256	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 967		1.0	0.393	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1489		1.2	0.476	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 966		1.0	0.419	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1822		1.2	0.418	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-Z 679			0.472	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 2351		1.3	0.283	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1718		12	0.300	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-Z 253P		1.2	0.302	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1808		1.2	0.300	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1789		1.2	0.124	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1490		1.2	0.120	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1632		1.9	0.237	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 880		1.3	0.305	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1385		1.2	0.335	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-C 932		1.2	0.286	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-XH 1478		1.0	0.101	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1491		1.9	0.181	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1712		1.8	0.192	


NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1816		1.7	0.155	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1517		1.9	0.137	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-P 111		1.1	0.133	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-P 108		1.1	0.137	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1714		1.5	0.155	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1844		1.7	0.150	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1816		1.9	0.235	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-P 110		1.2	0.159	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-P 109		1.1	0.125	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1713		1.5	0.154	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1482		1.0	0.101	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1948		1.2	0.137	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-YG 40		1.0	0.333	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-Z 391		0.9	0.158	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-W 1210		1.0	0.177	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 2347		1.0	0.100	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-ZJ 1629		1.3	0.628	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-ZJ 1628		1.1	0.421	

NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-Q 080		1.1	0.907	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-Z 075		1.1	0.209	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 494		1.5	0.247	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-D 1631		1.0	0.1	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-ZJ 1630		1.1	0.400	
NO:	Drawing/чертёж	T (MM)	KG/M	применение
JD-ZJ 1627		1.3	0.456	

SOLID WOOD COMPOSITE FLOOR BRUSHED SERIES



JD-89-001
Elm wood



JD-89-002
Ash wood



JD-89-003
Bai Lamu



JD-89-004
Elm wood 2

HANDSCRAP SERIES



JD-89-005
Toothed oak2



JD-89-006
toothed oak1



JD-89-007
toothed oak antique



JD-89-008
birch

PARQUET SERIES



JD-90-009
Elm-P450-21



JD-90-0010
Teak P450-11



JD-90-011
Oak P450-02



JD-90-012
Teak P450-13

JOINT SERIES




JD-90-013
Multilayer parquet floor-teak



JD-90-014
Multilayer parquet floor-Hickory



JD-90-015
Multilayer parquet floor-Elm



JD-90-016
Multilayer parquet floor-Catalpa wood



JIADA HARDWARE
www.fortunehd.com

☎: +86-21-62330069
✉: jiada2@yahoo.cn

☎: +86-21-62086201

Best Products Leading The Trend

☎: +86-21-62330069

☎: +86-21-62086201
✉: jiada2@yahoo.cn

JIADA HARDWARE
www.fortunehd.com



Best Products Leading The Trend